

THE DRUG POISONING CRISIS – NOT JUST AN URBAN PROBLEM Daniel Schulz - January 13, 1989 – April 30, 2014

Disclosure

I HAVE NO DISCLOSURES OR CONFLICTS

Why we share our stories

Drug policy is based morals societal standards and beliefs, not evidence.

Stigma makes it hard for people to speak out., but many do

Families and individuals can help change the narrative by evoking empathy in the public, politicians, policy makers

Our painful stories open hearts and opening hearts leads to opening minds.

Warning: Substance use related death!





My Son Danny: The Truth About Substance use, stigma, and drug poisoning













WE LOVE YOU.

BE SAFE.

CARRY NALOXONE.

We draw the line here.

Canadian Association of People Who Use Drugs

#BANTHEBODY








Daniel (Danny) Schulz

JANUARY 13, 1989 - APRIL 30, 2014



It is with deep sadness that we announce the tragic death of Daniel (Danny) Schulz on April 30, 2014.

Danny leaves behind his loving parents Petra and Rick, brothers Jan and Julian, grandparents Fred and Erika in Calgary, and Veronika in Germany, uncle Tony (Joann), aunt Linda (Don), cousins Eula, Ina, and Everett, his extended family, the love of his life, Gavin, and his many wonderful friends who share our grief. He was predeceased by his uncle Michael (Mike) in 1993.

tion on drugs

ons services. ily has had the k ever – learnvithout Danny,"

d of hiding what him, the family to speak out to stigma around She is one of the embers of Moms Mandated to Savof Drug Users, or which aims to reeople who are adugs. ng the lives of

and recognizing

entable tragedy

irpose of Mon-

said Mat Wong,

s' lead nurse for

Our family has had the hardest task ever learning to live without Danny PETRA SCHULZ

During a moment of silence, clusters of people lit candles and bowed their heads in the sunlight, remembering those who've died from drug overdoses. re died from drug

> "It's unbearable, it's hidden, it's heartbreaking," Wong said. "Every life is extremely valuable."

oellwand@ ose prevention edmontonjournal.com Twitter.com/Otiena

ept 1,205



T KNEW ... THAT WE'D COME TOO LATE'



6 Climber

and the server

;e

The Local Diff. Spinster, in the supervised set of Witnessing the last Marin Colsan South a standard in and in succession or deployed. a in the state damage and the second second thing of perand book by Provide interest principated a to share the and service ald all other aling Septima inter heitigt New Darty Circl withoutad repairing with Pierre filler gema links and Petra Schul the survey of Internationa ellisethedy Ref hede to 1 Beet the

overdose on injected painkiller

mail from Pantowell.

STREET, ALL MANUE



any pili method of the design the subscription of the later. en en son de all his faint shows The stread Street in Mallin Lab by write and one



HOW CANADA GOT ADDICTED TO FENTANYI.

Manufactured in China, it easily crosses our porous borders, triggering a heroin-like liss in users - and, all too often, death. The Globe investigates the rise of a fatal opioid

special report by Karen Howlett in Toronto, Justin Giovannetti in Edmonton, Jathan VanderKlippe in Beijing and Les Perreaux in Montreal





The Power of Parent Advocacy

Moms Stop the Harm (MSTH) is a network of Canadian families impacted by substance-use related harms and deaths.


3500 families Canada wide - sign up to BI

Mission: We advocate to end substance use related stigma, harms and death.

Provide peer support and welcome new families.

Substance use and overdose can affect anyone

But it affects some more than others



20 Canadians die from drug poisoning every day

There was a total of **34,455 opioid toxicity deaths** between January 2016 and September 2022.

Majority of deaths in British Columbia, Alberta and Ontario; increases observed in other regions

Most among young to middle-aged males.

Toxicity of supply continues to be a major driver of the crisis

The number of drug poisoning deaths in Alberta per year (2016-2023)

This data shows all drug poisoning deaths (includes all substances)




2023 only includes the number of deaths up until Jan. 31, 2023.

Source: Alberta substance use surveillance system • Graphic: Kyra Markov/CTV News Edmonton


Drug poisoning deaths in Alberta by age group (2022)

This graph includes all drug poisoning deaths (all substances)




Number of drug poisoning deaths

Source: Alberta substance use surveillance system • Graphic: Kyra Markov/CTV News Edmonton



Location of opioid-poisoning deaths in Alberta

This graph is based on data for Q4 of 2022



How Did This Happen?

Personal trauma, mental health

Stigma & discrimination

Lack of access to treatment and harm reduction

The War on Drugs: Toxic, illegal drug supply


What about the role of pharma?





Source: Global Commission on Drug Policy. Regulation: The Responsible Control of Drugs. 2018. http://www.globalcommissionondrugs.org/wp-content/uploads/2018/09/ENG-2018_Regulation_Report_WEB-FINAL.pdf

Opioid prescribing and poisoning deaths



Spectrum of Psychoactive Substance Use

Casual/Non-problematic Use

Chronic Dependence

- recreational, casual or other use that has negligible health or social effects
- Use that has become habitual and compulsive despite negative health and social effects

Beneficial Use

- use that has positive health, spiritual or social impact:
- e.g. medical pharmaceuticals; coffee/tea to increase alertness; moderate consumption of red wine; sacramental use of ayahuasca or peyote

Problematic Use

- use that begins to have negative consequences for individual, friends/family, or society
- e.g. impaired driving; binge consumption; harmful routes of administration

People use for different reasons and not all use is problematic





Harm Reduction – Relationships are key!

Harm reduction provides
Needle exchange & sterile supplies
Supervised consumption sites
Naloxone distribution
Drug safety education

Meeting people where they are at!

DOES NOT increase use or crime!

Unsafe places to use become unsafe places to die

LRT Train - mall washroom street corner - store entrance a field outside of town in a staircase - back alley in a parked car - rooming house a strangers or a friend's house outside an SCS when it was closed near an SCS after the government shut it down

Being elean	People in recovery
Drug abuse	Drug use
Addiets	People who use drugs
dunkies:	People with substance use disorder
CANADA.CA/HEALTH	Canadä

THE ROLE OF LANGUAGE IN REDUCING STIGMA

Follow these two key principles:

- Use neutral, [medically] accurate terminology when describing substance use
- 2. Use "people-first" language, that focuses first on the individual or individuals, not the action (e.g. "people who use drugs")

Responding to substance use

Speak	Speak to the person about your concerns
Ве	Be calm, factual and do not blame or accuse
Don't make	Don't make your support conditional
Stay	Stay prepared and respond without judgement
Inform	Inform yourself – keep them safe
Take	Take care of yourself



PETRA SCHULZ - MOMS STOP THE HARM

5/10/2023

Youth and substance use

Harm reduction approach:

- Discourage use
- Set clear expectations
- Stay engaged
- Model good behaviour

Image: Island Health



Youth Substance Use – Safety First

Factual education
Introduction to harm reduction
Types of substances,
Effects & side-effects, benefits & harms
Peers and social situations
Substance use and mental health

Source: Drug Policy Alliance. (2019). Safety First. Retrieved from https://www.drugpolicy.org/resource/safety-first-real-drug-education-teens

-		
S	Stimulation and Call 911	
A	Airway	
V	Ventilate (Rescue Breathing)	
E	Evaluate the Situation	
М	Muscular Injection of Naloxone	
E	Evaluate Again (Care after an Opioid Overdose)	

Responding to an Opioid Overdose

Drug user safety rules





Youth and Harm Reduction



Harm reduction continuum:

- Abstain
- Use less harmful substances
- Use less or less often
- Use in a less harmful way
- Never use alone
 - Drug Policy Alliance. (2019). Safety First. Retrieved from https://www.drugpolicy.org/resource/safetyfirst-real-drug-education-teens

What can communities do?

Demand access to evidence based treatment Focus on voluntary treatment Support local and provincial harm reduction initiatives Provide support for groups – SMART Recovery Look at the underlying causes of substance use and support prevention measures

Be open, be kind be generous - Don't discriminate!

CRISM National Guideline

for the Clinical Management of

OPIOID USE DISORDER



Evidence based treatment for opioid use

Withdrawal management alone should be avoided

Suboxone is the first-line treatment for people starting on Opioid Agonist Treatment – OAT

Methadone [Kadian] is recommended if Suboxone is not preferrable

[for patients where conventional OAT does not work pharmaceutical alternatives can be prescribed]

<u>https://crismprairies.ca/national-opioid-use-disorder-guidelines/</u>



Alberta Minister of mental health and addiction Nicholas Milliken speaks during a media even Tuesday, February 14, 2023. PHOTO BY AZIN GHAFFARI /Postmedia

Do I need to go to rehab?

8000 new spaces

Long wait times for in-patient and detox

Lack of regulation of treatment industry

No data on

- who is using the facilities
- For what reasons
- Short, medium or long-term outcomes
- Critical incidents
- Value for money spent

Treatment needs to be voluntary, evidence based and accountable!

Drugs and Supplements Methamphetamine (Oral Route)

Deceriction and Deced	Description and Brand Names	
Description and Brand Names	Drug information provided by: IBM Micromedex	
Before Using	US Brand Name	
Proper Use	Desoxyn	
Precautions		
Side Effects	Descriptions	
Products and services	Methamphetamine is used to treat attention-deficit hyperactivity disorder (ADHD). It belongs to the group of medicines called central nervous system (CNS) stimulants.	
The Mayo Clinic Diet		

What about stimulants?

Desoxyn is licensed in the US, but not in Canada

Other meds include Ritalin and Adderall – less effective

People with a history of substance use have trouble getting prescriptions for ADHD meds, even with a diagnosis of ADHD

Regulated Substances = Crime Prevention

"Safer Supply" – Regulated alternatives to toxic street drugs

KOmorphone

500 mg / 50 ml

Pour perfusion sous-cutanée

ou intraveineuse, dilué ou tel quel

Known amount of a drug from a regulated source

Protects from drugs that from an unknown source with an unknown content.

Not substance use treatment


Public health intervention

ISOTONIQUE

Analgésique opioide

Sans agent de conservation

Fiole à usage unique



Decriminalize People who use drugs

MSTH CALLS FOR THE FULL DECRIMINALIZATION OF PEOPLE WHO USE DRUGS

We do not criminalize other health conditions.

KNOW YOUR RIGHTS 'Decriminalization' of personal drug possession in BC

Are you protected by BC's decriminalization policy?

YES and your drugs won't be confiscated You're 18+, in BC (& not crossing a domestic or international border), AND you possess **less than 2.5 grams <u>TOTAL</u>** of any of these drugs: opioids, cocaine, meth, MDMA (ecstasy)









London, Ontario's <u>Safer Opioid Supply</u> program evaluation data, January 2022. Among many other positive outcomes, participants reported huge reductions in criminal activities.







We need to redefine recovery Ophelia Black, Garth Mullins and Guy Felicella



MSTH engages in Advocacy and Peer Support



IMPACT ON PARTICIPANTS' LIVES

My whole lifestyle improved Got my life back My life has improved drastically It saved my life I function productively in society My life is getting better Frees time to do more constructive things More energy and confidence to focus on my art

Santé

Canada

Health Canada d Opened a whole new outlook and positive way of living Positive influence on what else you do ally Enabled me to move forward in my life and not be at a standstill Life is so There's a lot less edge on my day Allowed me to focus on more positive direction 100% more stable than I have ever been My life has been a hardship, a mountain, but I now know happiness

I can devote time hunting for and keeping a job, make appointments



Stronger Together Canada – supporting families

Peer led support groups:

Healing Heart groups for families who have lost loved ones healingheartscanada.org

Holding Hope Groups for families whose loved ones are using substances holdinghopecanada.org

- STCA is funded by the Health Canada Substance Use and Addictions Program (SUAP)
- STBC is funded by the government of BC



MSTH advocates for:

Access to regulated substances #safesupply

Decriminalization of PWUD

Harm reduction - hope

Rapid Access to evidence-based treatment

Upstream prevention

Meaningful inclusion in all decisions that affect us!







5/10/2023



Shameless Plug - @CherryMintRose




#NoShameNovember - reframing shame related to being autistic YouTube Channel https://www.youtube.com/@cherrymintrose

Videos on the intersectionality of autism, ADHD, substance Use and gender

CRACKDOWN

About Episodes Blog/Bonus Episodes Subscribe



Resource Recommendations

Crackdown Podcast

- Episode 4 Blame [MSTH]
- Episode 37 Drugstore Cowboy [diversion]

Chasing the Scream by Johann Hari

Progress Report: Ophelia in Her Own Words

Substack: Drug Data Decoded (Blog)

Canadian Drug Policy Coalition

Building Hope: Substance use in the Trades (Film)

Filter Magazine - Harm reduction journalism

I am so glad you are here!

Websites

momstoptheharm.com

holdinghopecanada.org

healingheartscanada.org

Social Media – Facebook, Instagram, Twitter @momsstoptheharm

